



FLOORING & DECKING SOLUTIONS

**Euro Oak Birch Multiply Nature
Technical Data Sheet**



Product	Euro Oak Birch Multiply Nature
Dimensions	240mm x 15mm x 2200mm with a 4mm top layer of European Oak.
Grading	Nature grade. Clean boards with very few knots all below 5mm in size and less than 10% sap wood in the boards. Brown filled knots.
Construction	11mm Birch multilayer base for excellent stability, with a 4mm Oak layer from PEFC certified timber.
Guarantee	Zimbos Flooring Solutions offers a 5 year guarantee against delamination of the Oak veneer and the cracking or buckling of the floor board subject to normal conditions. This means in an environment with a relative humidity of 40 – 60%. This is subject to product being glued down with Wakol MS 228 adhesive, and Wakol PU 280 moisture barrier when concrete screed residual moisture (measured with Concrete Tramex meter) is above 4.5% moisture content.
Formaldehyde	Emission E1
Pentachlorophenol	Emission > 5%
Underfloor Heating	Temperature compliant to 27 degrees.

Installation method	Glue down (according to SAWLFA specifications).
----------------------------	--

2 Panther Park, 11 Berkley Road, Maitland, 7405

Tel: +27 21 511 4693

Fax: +27 21 511 4694

www.zimbostrading.co.za

www.loba.co.za

www.wakol.co.za

Reg No: 2002/023222/23

Vat No: 424 019 8855

Members of C.C.: D.O. Waddy & H.A du Toit